

11/21/2011

1214844 - R8 SDMS



RE: Third West Weekly Report
Shepherd, Michael to: Joyce Ackerman
Cc: "'Craig Barnitz (cbarnitz@utah.gov)'"

11/21/2011 03:06 PM

From: "Shepherd, Michael" <Michael.Shepherd@PacifiCorp.com>
To: Joyce Ackerman/R8/USEPA/US@EPA
Cc: "'Craig Barnitz (cbarnitz@utah.gov)'" <cbarnitz@utah.gov>
History: This message has been replied to.

Joyce,

I apologize I didn't follow up with you on the "mutant fill". We did get the soil samples back and the soil used as a sandy backfill behind the control building does contain asbestos. The plan we have in place was to have the contractor temporarily cover the "mutant fill" with plastic sheeting, sealing it from any outside exposure. Once the north section of the site becomes an exclusion zone, the contaminated soil will be excavated out, removed to an approved site, and replaced with clean fill.

I expect the soil to be removed this week. Please let me know if you have any questions.

Thanks,

Mike Shepherd
801.220.4584 Office
801.631.1310 Cell

-----Original Message-----

From: Ackerman.Joyce@epamail.epa.gov [mailto:Ackerman.Joyce@epamail.epa.gov]
Sent: Monday, November 21, 2011 12:28 PM
To: Shepherd, Michael
Cc: 'Craig Barnitz (cbarnitz@utah.gov)'
Subject: Re: Third West Weekly Report

Hi Mike - Thank you for the reports. Did the sample results come back for the "mutant fill"?

Thanks!

Joyce Ackerman, On-Scene Coordinator
EPA Region 8
1595 Wynkoop St.
Denver, CO 80202
Phone: 303-312-6822

From: "Shepherd, Michael" <Michael.Shepherd@PacifiCorp.com>
To: Joyce Ackerman/R8/USEPA/US@EPA, "'Craig Barnitz (cbarnitz@utah.gov)'" <cbarnitz@utah.gov>
Date: 11/16/2011 11:00 AM
Subject: Third West Weekly Report

Joyce & Craig,

Attached are the reports for the week of November 7, 2011.

All air monitoring results came back negative, except the positive hit on November 7, 2011. It was one fiber of chrysolite, this was reported last week.

Please let me know if you have any questions.

Thanks,

Mike Shepherd
Project Manager
Rocky Mountain Power - Major Projects
801.220.4584 Office
801.631.1310 Cell
801.220.2797 Fax
michael.shepherd@pacificorp.com

[attachment "Weekly Reports 11-07-11 through 11-13-11.pdf" deleted by Joyce Ackerman/R8/USEPA/US] [attachment "Third West Weekly Log 2011-45.pdf" deleted by Joyce Ackerman/R8/USEPA/US] [attachment "223858-1.pdf" deleted by Joyce Ackerman/R8/USEPA/US] [attachment "223951-1.pdf" deleted by Joyce Ackerman/R8/USEPA/US] [attachment "224038-1.pdf" deleted by Joyce Ackerman/R8/USEPA/US] [attachment "224232-1.pdf" deleted by Joyce Ackerman/R8/USEPA/US] [attachment "224233-1.pdf" deleted by Joyce Ackerman/R8/USEPA/US]